

## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (currently amended) A composition of matter for feeding to a ruminant, said composition being a pellet comprising particles ~~which contain~~ compressed together via pelletization, each of said particles containing choline chloride to be administered in a rumen-protected and post-ruminally effective form, each particle comprising a core which contains choline chloride and a protective coating surrounding the core ~~and protecting which provides effective protection of the~~ choline chloride ~~[[by]] from~~ ruminal activity while allowing ~~[[its]] effective~~ release of the choline chloride into the post-rumen portion of the digestive tract of ~~[[a]] the~~ ruminant, wherein the core mainly consists of choline chloride in the form of a dry, crystalline powder and, in combination, the protective coating surrounding the core comprises an outer, continuous layer mainly consisting of carnauba wax and an inner, continuous layer consisting of a hydrophobic substance selected from the group consisting of vegetable oils, hydrogenated vegetable oils, stearic acid and mixtures thereof, said inner layer providing effective protection of the choline chloride from moisture ~~one or more lipids selected from: vegetable oils, hydrogenated vegetable oils, and mixtures thereof.~~
2. (original) A composition of matter as claimed in claim 1, wherein the dry, crystalline powder of choline chloride is composed by micronized crystals having a predetermined distribution of particle size.
3. (original) A composition of matter as claimed in claim 2, wherein the average particle size of the micronized crystals ranges from 100 micrometers to 300 micrometers.
4. (original) A composition of matter as claimed in claim 2, wherein the average particle size of the micronized crystals is 200 micrometers.
5. (original) A composition of matter as claimed in claim 1, wherein the amount of dry, crystalline powder of choline chloride in the core ranges from 80% to 95% by weight of the core.
6. (original) A composition of matter as claimed in claim 1, wherein the amount of dry, crystalline powder of choline chloride in the core ranges from 85% to 90% by weight of the core.

7. (original) A composition of matter as claimed in claim 1, wherein the core comprises a predetermined amount of additional substances.
8. (original) A composition of matter as claimed in claim 7, wherein the additional substances comprise a flow modifier.
9. (original) A composition of matter as claimed in claim 8, wherein the flow modifier comprises one or more compounds chosen in the family of silicates.
10. (original) A composition of matter as claimed in claim 9, wherein the flow modifier comprises one or more compounds chosen in the group of aluminosilicates.
11. (original) A composition of matter as claimed in claim 8, wherein the flow modifier comprises one or more compounds chosen in the group consisting of zeolites, silica, perlite.
12. (original) A composition of matter as claimed in claim 8, wherein the amount of flow modifier in the core ranges from 3% to 8% by weight of the core.
13. (original) A composition of matter as claimed in claim 8, wherein the amount of flow modifier in the core is equal to 3% by weight of the core.
14. (original) A composition of matter as claimed in claim 8, wherein the amount of flow modifier in the core is equal to 8% by weight of the core.
15. (original) A composition of matter as claimed in claim 7, wherein the additional substances comprise a predetermined amount of a binder acting as a moisture barrier.
16. (original) A composition of matter as claimed in claim 15, wherein the binder acting as a moisture barrier comprises one or more compounds chosen in the family of stearates.
17. (original) A composition of matter as claimed in claim 16, wherein the binder acting as a moisture barrier comprises one or more compounds chosen among zinc stearate, magnesium stearate and calcium stearate.

18. (original) A composition of matter as claimed in claim 15, wherein the amount of binder acting as a moisture barrier in the core is equal to 7% by weight of the core.

19. (original) A composition of matter as claimed in claim 7, wherein the additional substances comprise a flow modifier and a predetermined amount of a binder acting as a moisture barrier.

20. (original) A composition of matter as claimed in claim 19, wherein: the core contains 90% by its weight of dry crystalline choline chloride in the form of micronized crystals, the remaining 10% by weight of the core being composed by a flow modifier consisting of silica in an amount of 3% by weight of the core and by a binder acting as a moisture barrier consisting of calcium stearate in an amount of 7% by weight; the core represents 39.0% by weight of the final particle; the whole protective coating represents 61.0% by weight of the final particle; the inner, continuous layer is composed solely by hydrogenated soybean oil as hydrophobic substance; the outer, continuous layer is completely composed by carnauba wax; the inner layer represents 60% by weight of the protective coating material and the 36.6% by weight of the final particle; the outer layer represents 40% by weight of the protective coating material, and 24.4% by weight of the final particle; the final particle having a particle size ranging from 400 micrometers to 1200 micrometers.

21. (original) A composition of matter as claimed in claim 19, wherein: the core contains 90% by its weight of dry crystalline choline chloride in the form of micronized crystals, the remaining 10% by weight of the core being composed by a flow modifier consisting of silica in an amount of 3% by weight of the core and by a binder acting as a moisture barrier consisting of calcium stearate in an amount of 7% by weight of the core; the core represents 44.2% by weight of the final particle; the whole protective coating represents 55.8% by weight of the final particle; the inner, continuous layer is composed solely by hydrogenated soybean oil as hydrophobic substance; the outer, continuous layer is composed solely by carnauba wax; the inner layer represents 55% by weight of the protective coating and the 30.7% by weight of the final particle; the outer layer represents 45% by weight of the protective coating, and 25.1% by weight of the final particle; the final particle in the composition of matter having a particle size ranging from 200 micrometers to 1000 micrometers.

22. (original) A composition of matter as claimed in claim 7, wherein the amount of additional substances in the core is lower than or at most equal to 20% by weight of the core.

23. (original) A composition of matter as claimed in claim 7, wherein the amount of additional substances in the core is equal to 15% by weight of the core.
24. (original) A composition of matter as claimed in claim 7, wherein the amount of additional substances in the core ranges from 1% to 10% by weight of the core.
25. (original) A composition of matter as claimed in claim 7, wherein the amount of additional substances in the core ranges from 2% to 8% by weight of the core.
26. (original) A composition of matter as claimed in claim 7, wherein the amount of additional substances in the core is 7% by weight of the core.
27. (original) A composition of matter as claimed in claim 1, wherein the core has a weight ranging from 30% to 70% by weight of the whole particle.
28. (original) A composition of matter as claimed in claim 1, wherein the core has a weight ranging from 40% to 50% by weight of the whole particle.
29. (original) A composition of matter as claimed in claim 1, wherein the amount of carnauba wax in the outer layer ranges from 80% to 100% by weight of the outer layer itself.
30. (original) A composition of matter as claimed in claim 1, wherein the amount of carnauba wax in the outer layer ranges from 90% to 95% by weight of the outer layer itself.
31. (previously presented) A composition of matter as claimed in claim 1, wherein the outer layer further comprises a predetermined amount of a rigidity controlling agent mixed with carnauba wax to control the rigidity of the outer layer.
32. (original) A composition of matter as claimed in claim 31, wherein the predetermined amount of the rigidity controlling agent is lower than or at most equal to 20% by weight of the outer layer.

33. (original) A composition of matter as claimed in claim 31, wherein the predetermined amount of the rigidity controlling agent ranges from 5% to 10% by weight of the outer layer.
34. (original) A composition of matter as claimed in claim 31, wherein the rigidity controlling agent is a plasticizer.
35. (original) A composition of matter as claimed in claim 31, wherein the rigidity controlling agent comprises one or more lipids.
36. (original) A composition of matter as claimed in claim 35 wherein the one or more lipids are selected from the family of vegetable oils.
37. (original) A composition of matter as claimed in claim 35 wherein the one or more lipids are selected from the group consisting of palm oil and soybean oil.
38. (original) A composition of matter as claimed in claim 35 wherein at least one of the one or more lipids is a hydrogenated vegetable oil.
39. (original) A composition of matter as claimed in claim 31, wherein the core comprises a predetermined amount of additional substances.
40. (original) A composition of matter as claimed in claim 39, wherein the additional substances comprise a flow modifier.
41. (original) A composition of matter as claimed in claim 39, wherein the additional substances comprise a predetermined amount of a binder acting as a moisture barrier.
42. (original) A composition of matter as claimed in claim 39, wherein the additional substances comprise a flow modifier and a predetermined amount of a binder acting as a moisture barrier.
43. (original) A composition of matter as claimed in claim 42, wherein: the core contains 90% by its weight of dry crystalline choline chloride in the form of micronized crystals, the remaining 10% by weight of the core being composed by a flow modifier constituted by silica in an amount

of 3% by weight of the core and by a binder acting as a moisture barrier constituted by magnesium stearate in an amount of 7% by weight of the core; the core represents 45.50% by weight of the final particle; the whole protective coating represents 54.50% by weight of the final particle; the inner, continuous layer is composed solely by hydrogenated palm oil as hydrophobic substance; the outer, continuous layer is composed by carnauba wax in an amount of 90% by weight of the outer layer and by soybean oil as a rigidity controlling agent in an amount of 10% by weight of the outer layer; the inner layer represents 70% by weight of the protective coating and the 38.15% of the final particle; the outer layer represents 30% by weight of the protective coating, and 16.35% by weight of the final particle; the final particle in the composition of matter having a particle size ranging from 300 micrometers to 1200 micrometers.

44. (original) A composition of matter as claimed in claim 42, wherein: the core contains 85% by its weight of dry crystalline choline chloride in the form of micronized crystals, the remaining 15% by weight of the core being composed by a flow modifier comprising perlite and silica, respectively in an amount of 3% and 5% by weight of the core, and by a binder acting as a moisture barrier constituted by calcium stearate in an amount of 7% by weight of the core; the core represents 47.2% by weight of the final particle; the whole protective coating represents 52.8% by weight of the final particle; the inner, continuous layer is composed solely by hydrogenated soybean oil as hydrophobic substance; the outer, continuous layer is composed by carnauba wax in an amount of 90% by weight of the outer layer and by palm oil as a rigidity controlling agent in an amount of 10% by weight of the outer layer; the inner layer represents 55% by weight of the protective coating and the 29.0% of the final particle; the outer layer represents 45% by weight of the protective coating, and 23.8% by weight of the final particle; the final particles in the composition of matter having a particle size ranging from 400 micrometers to 1200 micrometers.

45. (original) A composition of matter as claimed in claim 42, wherein: the core contains 85% by its weight of dry crystalline choline chloride in the form of micronized crystals, the remaining 15% by weight of the core being composed by a flow modifier comprising perlite and silica, respectively in an amount of 3% and 5% by weight of the core, and by a binder acting as a moisture barrier consisting of calcium stearate in an amount of 7% by weight of the core; the core represents 47.75% by weight of the final particle; The whole protective coating represents 52.25% by weight of the final particle; the inner, continuous layer is composed solely by hydrogenated soybean oil as hydrophobic substance; the outer, continuous layer is composed

by carnauba wax in an amount of 95% by weight of the outer layer and by palm oil in an amount of 5% by weight of the outer layer; the inner layer represents 50% by weight of the protective coating and the 26.125% of the final particle; the outer layer represents 50% by weight of the protective coating, and 26.125% by weight of the final particle; the final particles in the composition of matter having a particle size ranging from 400 micrometers to 1200 micrometers.

46. (original) A composition of matter as claimed in claim 1, wherein the outer continuous layer constitutes a percentage by weight of the protective coating which ranges from 30% to 60%.

47. (original) A composition of matter as claimed in claim 1, wherein the outer continuous layer constitutes a percentage by weight of the protective coating which ranges from 45% to 55%.

48. (original) A composition of matter as claimed in claim 1, wherein the inner, continuous layer constitutes a percentage by weight of the protective coating which ranges from 40% to 70%.

49. (original) A composition of matter as claimed in claim 1, wherein the inner continuous layer constitutes a percentage by weight of the protective coating which ranges from 45% to 55%.

50-51. (cancelled)

52. (currently amended) A composition of matter as claimed in claim 1 wherein the ~~one or more lipids are~~ hydrophobic substance is selected from the group consisting of palm oil and soybean oil.

53-54. (cancelled)

55. (original) A composition of matter as claimed in claim 1, wherein the protective coating constitutes a percentage by weight of the whole particle which ranges from 30% to 70%.

56. (original) A composition of matter as claimed in claim 1, wherein the protective coating constitutes a percentage by weight of the whole particle which ranges from 50% to 60%.

57. (original) A feed pellet containing a composition of matter as claimed in anyone of the previous claims from 1 to 56.

58. (original) A premix for feed containing a composition of matter as claimed in anyone of the claims from 1 to 56.

59. (original) Mash feed in unpelletted form, containing a composition of matter as claimed in anyone of the claims from 1 to 56.